

TEST REPORT

Customer Name & Address	M/S. Hata Bevtech Private Limited-Daman	Report No.	19097
	101/3 Daman Industrial Estate, Village Kadaiya	Report Date	04/02/2026
	Daman-396210	Any other Information	Not Available

Sample Name	COLCALM	Date of Manufacture	Not Available
Product Group	Nutraceuticals & Functional Foods	Date of Expiry / Used By	Not Available
Product category	Food for Special Dietary Use	Scaled/ Unscaled	Scaled
Sample Received Date	30/01/2026	Sample Quantity	2X40g
Batch / Lot No	Not Available	Packing Details	Glass Bottle
Analysis Start Date	03/02/2026	Analysis completed on	04/02/2026
Laboratory code	26013019138	Other Details	Not available

Sr. No.	Name of Test	Unit	Result	LOQ	Specification	Method of Analysis
Instrumentation						
Trace metal elements						
1	Lead	mg/kg	0.40	0.1	Max 2.5	SOP NO:QP/DALPL/454
2	Copper	mg/kg	5.41	0.1	Max 30	SOP No :QP/DALPL/454
3	Arsenic	mg/kg	0.17	0.1	Max 1.1	SOP No :QP/DALPL/454
4	Cadmium	mg/kg	0.11	0.1	Max 1.5	SOP NO:QP/DALPL/454
5	Tin	mg/kg	<0.5	0.5	Max 250	SOP No :QP/DALPL/454

End of Test Report

Notes:

Tested sample(s) not drawn by DALPL

LOQ: Limit of Quantification




Ms. Prachi Sawant
Authorized Signatory

For Doctors' Analytical Laboratories Pvt Ltd

Disclaimer

- The results reported relate only to the sample(s) tested.
- Test report full or partial shall not be reproduced unless written approval from Doctors' Analytical Laboratories Pvt. Ltd.
- Laboratory is not responsible for the authenticity of photocopied test report.
- The test items will be retained as per the DALPL defined retention period or as otherwise agreed with the customer or as required by the applicable regulation.
- This test report is issued on terms & condition stipulated overleaf, reflects our findings at the time and place of testing and does not relieve customer from their contractual obligations.

26013019138-19097